

 $\mathcal{S}^{\text{by}}$ EAMAID



THE CONNECTED LIGHTING SOLUTION OF SEAMAID FOR POOL AND GARDEN

2024



Introducing the SEAMAID brand		
The <b>Smartlighting</b> range	5	
The SEAMAID application	6	
Smartlighting luminaires for swimming pools	9	
■ HIKARI PAR56 Lamp	10	
■ TAIYO screw-in projector	12	
■ NIKKO screw-in projector	14	
Smartlighting garden lights	16	
■ YOKO adjustable projector	18	
<ul> <li>ASAHI recessed floor projector</li> </ul>	20	
<ul><li>HINODE wallwashers</li></ul>	22	
■ TERASU terrace projector	23	
Equipment and accessories	24	
■ IZZYBOX control equipment	25	
■ Power supply units	26	
<ul> <li>Universal relay module</li> </ul>	27	
<ul> <li>Stabilised power supplies and PLC filters</li> </ul>	28	
<ul> <li>Waterproof connectors and boxes</li> </ul>	29	
Swimming pool + garden layout diagram Layout diagram legend	30 31	





Created in 2006 by the French company ALPHADIF, a specialist in LED lighting, the SEAMAID brand develops and offers new lighting solutions for gardens and above-ground and in-ground pools that are easier to install, simpler to use and, above all more economical than the old incandescent or halogen lamps.

Safe, competitively-priced lighting solutions that comply with European regulations and standards, the SEAMAID brand is well established in the European swimming pool market and enjoys an excellent reputation.

Always attentive to consumer expectations and the needs of installers, ALPHADIF's R&D team is constantly innovating day after day.

# **Objective:**

To come up with new, original and patented lighting systems to make the most of your outdoors!

Today, SEAMAID offers a complete range of floodlights for the pool, the garden and to take everywhere with you.



**Smartlighting** is a new range of LED pool and garden lighting developed by SEAMAID, combining high power and on-board intelligence, dedicated exclusively to professional networks.

Powered by ==24V(DC) safety extra-low voltage, this range is easy to install in a pool or garden, without any special work or burying of cables.

These new generation LED luminaires have an exclusive communication module developed by the ALPHADIF R&D team, enabling them to be controlled remotely using the power to which they are connected.

- All you need to do is establish a Wifi connection with the internet box installed and the SEAMAID application will connect to the installation, whether you're on site or out and about, as long as the the Internet network is accessible.
- For your next pool and garden lighting project, draw up a plan of the area map of the premises to be equipped, identify the areas to be lit and locate the internet box.
- Then install the **Smartlighting** projectors, selecting them from the range according to the desired result.

To illuminate a flower bed, create a luminous atmosphere in your pool or your terrace, there's bound to be a Smartlighting lighting solution to suit your needs.

# THE SEAMAID APPLICATION

With the SEAMAID app, which is 100% free of charge and requires no subscription, you can control all your connected LED pool and garden lights from your smartphone.

Download the free application and immerse yourself in the connected world of SEAMAID, using the demo mode to play with all the functions and design your own installation!









No need to go into your technical room or your garage!

Just sit back and manage your pool and garden lighting. For private or public use, on your smartphone or tablet, you can control the **SMARTLIGHTING** luminaires in your pool and garden and access all the functions in complete simplicity thanks to the SEAMAID APP.



# 1 | SET UP

Take a photo of your installation or an area to be lit from the application and place each of your luminaires there for totally personalised control of your experience.

Switch your lights on and off directly from your smartphone.





# 2 | PROGRAM

Decide on the different illumination periods for fully automated management of your luminaires.


The application lets you add 2 time slots for your lights to switch on and off automatically.

# 3 | CONTROL

Choose colours, lighting effects and luminous intensity for one or more of your luminaires at a time.

Use the application to choose your favourite colours and add them to your favourites!









# SMARTLIGHTING LUMINAIRES

# FOR SWIMMING POOL

**Smartlighting** pool lights are distinguished from traditional SEAMAID brand lights by their black colour.

To be installed during the construction of in-ground pools or for the renovation of old incandescent or LED projectors, these lamps and spotlights offer high ligting power while being discreet and can be connected to a **Smartlighting** garden lighting installation.

# HIKARI\* Choose the **HIKARI\*** Ecoproof ECOPROOF PAR56 LAMP PAR56 lamp to replace your current 300W incandescent or LED lamp. Available in cool white and RGB On/Off versions MAX NUMBER REF SIZE Ø **COLOR** FLUX 502723 178 mm RGB 800 lm 502709 178 mm Cold White 6500k 2 300 lm Compatible with most niches on the market. Suitable for construction, replacement and renovation. Simple, safe installation. Thanks to its waterproof chamber, the power cable plugs directly into the lamp.





















MAX

POWER

16 W

20 W

LED

120

120


# **COMPLEMENTARY PRODUCTS**

For older pools, opt for the SEAMAID clip-on renovation crown, supplied with 3 deformable lugs and 3 screws, compatible with all projectors on the market, including the largest, and available in 5 colours.

REF.	SIZE Ø	COLOR
504260	325 mm	White
504277	325 mm	Light blue
504284	325 mm	Sand
504291	325 mm	Light grey
504307	325 mm	Dark grey



Fitting an Ecoproof lamp in the SEAMAID renovation kit





For pojectors fitted with a 2x6mm² power supply cable (FLUIDRA), use the waterproof connection kit supplied with 1 2x4mm² cable compatible with the PAR56 Ecoproof lamp, 2 connectors and a heat-shrink tube.

REF.: 501689

# TAIYO\* MINI-PROJECTOR RE 5028

# Compatible with all types of pool, the TAIYO\* projector

illuminates your pool up to 8x4m.

### Disponible en version blanc froid et RVB On/Off

REF	SIZE Ø	COLOR	MAX FLUX	NUMBER LED	MAX POWER
	145-165mm	RGB	400lm	18	10 W
502884	145-165mm	Cold White 6500k	1100lm	36	8 W



### **EASY TO INSTALL**

The rear of the plug has a 1.5" male thread, to make it easier to install, as no specialist tools are required.

You just need a wall fitting with a 1,5" vacuum fitting at the end, and then screw the rear part of the projector.





















# **COMPLEMENTARY PRODUCTS**


### | TAIYO\* crowns are available in 5 colours :

REF. concrete	SIZE Ø	REF. liner	SIZE Ø	COLOR
503126	145 mm	503133	165 mm	White
503027	145 mm	503034	165 mm	Light blue
503003	145 mm	503010	165 mm	Sand
503041	145 mm	503058	165 mm	Light grey
503065	145 mm	503072	165 mm	Dark grey


# INSTALLATION RECOMMENDATIONS:


It is important to check the compatibility of the vacuum fitting before final assembly.


Some models fitted with a thread locking system are not suitable.




# **Principles of installation**









### Clever:

Supplied as standard with 2 adjustable white crowns, it fits just as easily for shell/concrete structures, as it does for liner or reinforced for liner or reinforced membrane.




### **COMPLEMENTARY PRODUCTS**


Round and square crowns available in 5 colours and metallic finish make lighting an attractive feature (compatible with vacuum fitting for concrete and liner).


REF. round	REF. square	COLOR
503218	503317	Light blue
503225	503324	Sand
503232	503331	Light grey
503249	503348	Dark grey
503201	503300	White
503256	503355	Metallic



# Principles of installation







### Discreet and efficient:


Once fully screwed in, the NIKKO projector disappears through the wall, revealing only its 50mm diameter optical diffuser.

In use, the projector disappears, leaving only the light visible.

# INSTALLATION RECOMMENDATIONS:

It is important to check the compatibility of the vacuum fitting before final assembly.

Some models fitted with a thread locking system are not suitable.









# AVAILABLE IN 3 MODELS

		-	MAX	NUMBER	MAX
REF.	SIZE Ø	COLOR	FLUX	OF LEDS	POWER
505120	105 mm	Warm white 4000k	610 lumens	18	6 W
505137	105 mm	Amber	400 lumens	9	6 W
505144	105 mm	RGB	230 lumens	9	6 W
505151	105 mm	White CTC (3000/4000/5000k)	510 lumens	9	6 W
505069	125 mm	Warm white 4000k	1050 lumens	36	10 W
505076	125 mm	Amber	570 lumens	18	10 W
505083	125 mm	RGB	450 lumens	18	10 W
505090	125 mm	White CTC (3000/4000/5000k)	840 lumens	18	10 W
505007	195 mm	Warm white 4000k	2500 lumens	120	20 W
505014	195 mm	Amber	1800 lumens	120	20 W
505021	195 mm	RGB	870 lumens	120	16 W
505038	195 mm	White CTC (3000/4000/5000k)	1830 lumens	120	16 W





# AVAILABLE IN 3 MODELS

_					
REF.	SIZE Ø	COLOR	MAX FLUX	NUMBER OF LEDS	MAX POWER
505304	74 mm	Warm white 4000k	610 lumens	18	6 W
505311	74 mm	Amber	400 lumens	9	6 W
505328	74 mm	RGB	230 lumens	9	6 W
505335	74 mm	White CTC (3000/4000/5000k)	510 lumens	9	6 W
505243	140 mm	Warm white 4000k	1050 lumens	36	10 W
505250	140 mm	Amber	570 lumens	18	10 W
505267	140 mm	RGB	450 lumens	18	10 W
505274	140 mm	White CTC (3000/4000/5000k)	840 lumens	18	10 W
505182	220 mm	Warm white 4000k	2500 lumens	120	20 W
505199	220 mm	Amber	1800 lumens	120	20 W
505205	220 mm	RGB	870 lumens	120	16 W
505212	220 mm	White CTC (3000/4000/5000k)	1830 lumens	120	16 W





# **TERASU\* Smartlighting** terrace projectors combine robustness and

# **luminous** power

to illuminate your pool surrounds, your patio or create both decorative and safety features.

# TERASU

TERRACE PROJECTOR

Made from 316L stainless steel, TERASU\* Smartlighting deck projectors can be integrated just as easily into a wooden deck as into tiled deck thanks to their flush mounted box.

### Available in 3 lighting versions

REF.	SIZE Ø	COLOR	MAX FLUX	NUMBER OF LEDS	MAX POWER
505427	60 mm	Warm white 4000k	390 lumens	3	6 W
505434	60 mm	Amber	230 lumens	3	6 W
505441	60 mm	Royal blue	120 lumens	3	6 W



Fitted with a 2-metre HO5RNF cable, the patio projectors are supplied in a kit with 3 flush-mounting heads and 1 waterproof electronic connection box.
























# **IZZYBOX**

# is the communication and management module

that is installed on the -24V (DC) power supply of SEAMAID's Smartlighting lamps and projectors.

Wall-mounted or mounted directly on the DIN rail of an electrical box, IZZYBOX activates automatically when the luminaire circuit is switched on.















SEAMAID







# POWER SUPPLY UNITS

# **SEAMAID** offers you

ready-to-use~230V(AC)/-24V(DC)

# power supply units

to power your Smartlighting pool and garden lighting system.

### **SMARTLIGHTING ENCLOSURES ARE AVAILABLE IN 3 VERSIONS**

REF.	SIZE Ø	MAX POWER	OUTPUTS	DESCRIPTION
504512	270x250x160mm	150 W	1	Contains 1 LED power supply ~230V/=24V/150W, 1 powerline filter 150W, 1 Izzybox
504529	362x500x160mm	300 W	1	Contains 1 LED power supply ~230V/=24V/300W, 1 powerline filter 300W, 1 lzzybox
504536	362x500x160mm	600 W	2	Contains 1 LED power supply ~230V/ <b>–</b> 24V/600W , 2 powerline filters 300W, 2 Izzyboxes





Housed in an IP65 enclosure with window, these cabinets are fitted with a special double-insulated LED power supply, a PLC filter for communication between Izzybox and the luminaires connected to the extra-low voltage circuit and Izzybox.















Would you like to control your old pool or garden lights with your Smartlighting installation?

It couldn't be simpler: connect them 1 by 1 or by grouping them together to SEAMAID's Smartlighting universal relay module

and control their lighting using the application.

### **TECHNICAL DATA**

REF.	SIZE Ø	COLOR	MAX CURRENT	CONNECTED VOLTAGE	CURRENT TYPE
505601	66 x 67 x 25 mm	Black	8A	12V - 230V	AC/DC



















# STABILISED POWER SUPPLIE & CPL FILTERS

# Stabilised power supplies

REF.	NAME	MAX POWER	INPUT VOLTAGE	OUTPUT VOLTAGE
504482	MEANWELL XLG 150-24-A	150 W	~230V (AC)	. ,
504390	MEANWELL XLG 320V-24-A	300 W	~230V (AC)	
504451	MEANWELL HLG 600H-24-A	600 W	~230V (AC)	<b>-</b> 24V (DC)

















# **PLC filters**

SEAMAID SMARTLIGHTING don DIN rail are installed at the -24V (DC) output of the electronic power supply.

REF.	<b>SIZE</b> Ø	COLOR	POWER
504543	90 x 34 x 60 mm	Black	150 W
504505	90 x 68 x 60 mm	Black	300 W



These filters maintain good communication between the equipment connected to the very low voltage circuit.















# **IP68 INSULATING GEL BOX**

REF.	DESCRIPTION		
504338	Insulating gel box for cable up to 3x6mm²		



# & WATER-PROOF BOXES

# **IP68 CONNECTION BOXES**

REF.	NUMBER OF CHANNELS	MAX. VOLTAGE	CABLE SECTION	GAIN DIAMETER
505656	2	24A - 450VAC	0,5 – 2,5mm²	5-9/9-12mm
505663	3	24A - 450VAC	0,5 – 2,5mm²	5-9/9-12mm
505670	4	24A - 450VAC	0,5 – 2,5mm²	
505687	5		0,5 – 2,5mm²	
505694	6	24A - 450VAC	0,5 – 2,5mm²	5-9/9-12mm













# LAYOUT DIAGRAM LEGEND

1 LOCAL INTERNET BOX
224V(DC) POWER SUPPLY BOX+ CPL FILTRER + IZZYBOX > ref. 504529 - 300W page 26
C1 Cable tray n°1 > Total connected load 106W
GROUP   1
3 adjustables projectors YOKO , Warm White > ref. 505069 pages 18-19 > Max. power 3 x 10W = 30W
GROUP   2
2 adjustable projectors YOKO, RGB > ref. 505021 pages 18-19 > Max. power 2 x 16W = 32W
GROUP   3
2 ASAHI recessed floor projectors, Amber > ref. 505311 pages 20-21 > Max. power 2 x 6W = 12W
GROUP   4
1 HINODE wallwasher, CCT > ref. 505397 page 22 > Max. power 16W
1 YOKO adjustable projector, RGB > ref. 505021 pages 18-19 > Max. power 16W
C2 Cable tray n°2 > Total connected load 54W
GROUP   5
1 TERASU terrace projector kit, Royal Blue > ref. 505441 page 23 > Max. power 6W
GROUP   6
3 TAIYO swimming pool projectors, RGB > ref. 502891 pages 12-13 > Max. power 3 x 10W = 30W
GROUP   7
3 ASAHI ground recessed projectors, Amber > ref. 505311 pages 20-21 > Max. power 3 x 6W = 18W
☐ IP68 connection boxes page 29



# Are you a professional specialising in swimming pool construction or renovation, landscaping or electrical work?

# Become an approved Smartlighting by SEAMAID installer!





**FLASH THE QR CODE** and take part in the training and qualification programme.

# **│ YOUR DISTRIBUTOR** │

# **ALPHADIF** 901, avenue Alphonse Lavallée - BP355 - 83077 Toulon Cedex 9 - France

+33 (0)4 98 04 62 95 - contact@alphadif.net

